

Potential impacts of the 2024 antidumping and countervailing duties on the U.S. solar industry

July 9, 2024

Executive summary

A positive finding in the 2024 antidumping and countervailing duties (AD/CVD) cases could impede the U.S. in achieving national targets.

The U.S. solar photovoltaic (PV) sector is healthy, with a consistent track record for installation volume growth and a likely fivefold increase in module manufacturing.

However, many models suggest the U.S. must reach 500 GW of cumulative PV installations by 2030 to meet the government's target of a 50% reduction in greenhouse gas emissions by that time.

Cumulative U.S. solar installations, all segments (GW) appox. 500



The U.S. PV sector already faces a range of trade barriers that are increasing costs to American module buyers and domestic manufacturers.

Trade barriers range from non-tariff/duty supply restrictions to tariffs and duties that affect cells, modules, and critical inputs for those cells and modules.

The 2022 AD/CVD decision led to a substantial price increase from 35 to 55 ϕ /W that was only mitigated through Presidential action.

25%

Section 301

(select PV

materials)

14%

Section 201

(cells and


modules)

An AD/CVD finding could negatively impact the U.S. PV market as domestic module factories need cell imports today and duties could derail otherwise positive PV installation trends.

Potential new duties could raise costs 10 ¢/W for domestically produced modules, and 15 ¢/W for imports – significantly impacting project economics.

The U.S. may not sufficiently build enough crystalline silicon (c-Si) PV cell capacity to support domestic module assembly, necessitating the continued use of cell imports to sustain U.S. module factories.

Thin film & c-Si cell/module capacity vs. PV installs (GW)



U.S. policy barriers affecting imports (% tariff/duty)

50%

Section 301

(cells and

modules)




Content

The U.S. PV sector is in good health The U.S. PV market is facing headwinds An AD/CVD finding could hurt U.S. PV

The U.S. PV sector is in good health Key points

- The current health of the U.S. PV sector is exceptional, with a strong track record of installation volume growth across end-use segments and a fast-emerging domestic PV manufacturing supply chain.
- Growing U.S. PV installations support job creation in a variety of sectors, with installation, project development, and supporting
 roles accounting for almost 90% of all U.S. solar employment opportunities.
- The Inflation Reduction Act (IRA) is a crucial piece of legislation supporting the current health of the U.S. PV sector, with
 positive impacts on both the demand and supply sides of the sector.
- Demand side drivers include the extension of the Investment Tax Credit, Production Tax Credit, and tax credit adders such as the Energy Communities, and Domestic Content Bonuses.
- The Inflation Reduction Act transformed the outlook for domestic PV manufacturing, with announcements for U.S. capacity
 additions exceeding 130 GW for PV modules and 85 GW of PV cells.

U.S. PV installations have grown at a 33% CAGR from 2010 - 2023 Large-scale utility installations account for ~70% of the U.S. market





Notes | Installation volumes are reported in the SEIA/Wood Mackenzie Power & Renewables' "Solar Market Insight Report 2023 Year in Review." Compound Annual Growth Rate (CAGR).

The U.S. solar workforce has grown annually since 2020

Employment trends move with installations; most of the PV workforce is in deployment

U.S. PV employment (thousands of workers) vs. U.S. solar installations (GWdc)





Many deployment jobs are union-affiliated, meet prevailing wage requirements in the IRA, and/or employ apprenticeship programs.




Duties on Southeast Asian cell sources could impact PV installations and new U.S. module factories, decreasing employment in the PV industry's deployment and manufacturing sectors.

Notes | Data were reported by the National Solar Jobs Census by IREC and accounts for both full-time and part-time roles. Installation volumes are reported in the SEIA/Wood Mackenzie Power & Renewables U.S. Solar Market Insight Report. Inflation Reduction Act (IRA).

Need for 500-560 GW of cumulative PV by 2030 to hit emissions goal ~3x PV growth needed to reach Biden's pledge for 50-52% emissions reduction

Cross-model comparison of U.S. PV capacity needed for 50–52% greenhouse gas emissions reductions by 2030 (GWdc)




Notes | U.S. strategies to reduce greenhouse emissions are summarized in John Bistline et al., Actions for reducing U.S. emissions at least 50% by 2030. National Energy Modeling System (NEMS), U.S. Regional Economy, Greenhouse Gas, and Energy (REGEN) and accelerated Electrification (E+), U.S. Regional Energy Policy model + Regional Energy Deployment System model (USREP-ReEDS).

Crystalline silicon products constitute the majority of U.S. PV installs Crystalline silicon remains the predominant PV technology employed around the world

Utility-scale PV installations by module technology (GWac)

Global PV technology capacity (%)




Notes | Data from Berkeley Lab's 2023 Utility Scale Solar Update. Crystalline silicon (c-Si) capacity includes technologies such as Back Surface Field (BSF), Passivated Emitter and Rear Contact (PERC), Tunnel Oxide Passivated Contact (TOPCon), and Heterojunction (HJT). Cadmium Telluride thin film (CdTe) is a non-silicon technology.

The IRA catalyzed a wave of U.S. manufacturing announcements


IRA incentives support domestic capacity announcements throughout the supply chain

U.S. PV supply chain manufacturing capacity plans and installation summary (GW)



Notes | Data aggregated by CEA based on company announcements and disclosures. "Other" includes all suppliers beyond the top companies as determined by announced totals. Projects not believed to be progressing have been removed. Installation volumes are reported in the SEIA/Wood Mackenzie Power & Renewables' "Solar Market Insight Report 2023 Year in Review." Inflation Reduction Act (IRA).


Likely U.S. module capacity could reach 60 GW; cell near 12 GW Module capacity will grow rapidly over 2024/2025; cell emerging in 2025/2026



Notes | Data aggregated by CEA based on company announcements and discounted for plans with verifiable forward progress. Data does not account for utilization or other potential production delays, but reasonable new factory ramp times are considered. Timelines are based on supplier statements or industry best practices if suppliers have not provided adequate timeline updates.

The U.S. is on track to build a domestic PV industry


Suppliers are importing equipment & components to build factories, cells, & modules



Notes | The suppliers involved per stage are based on a list of suppliers importing the described component or machinery type, with entries available in public customs databases. Other active suppliers may be present if components or equipment are sourced domestically in the United States and not captured in customs data.

IRA 45X credits result in U.S. costs that are competitive with SEA

IRA incentives support a competitive U.S. manufacturing ecosystem




U.S. module assembly all-in cost, 2024 (EXW, ¢/W)

There is currently no crystalline silicon wafer or cell production in the U.S., meaning all U.S. manufacturers must import cells from Southeast Asia or other markets.

• U.S. module assembly using imported cells will remain the main domestic PV supply chain; some U.S. polysilicon, wafer, and cell capacity will emerge, but a combination of 45X valuations, time-gated incentives, and technical hurdles prevents a broader U.S. PV manufacturing ecosystem.

Southeast Asia all-in module cost, 2024 (DDP-port, ¢/W)



- Imported modules have a cost disadvantage over U.S.-made modules, are less likely to support systems in achieving domestic content benefits, and are subject to more U.S. trade policy volatility.
- Cost competitiveness, domestic content considerations, and trade policy concerns have prompted the massive resurgence in U.S. module manufacturing.

Notes | Bifacial double-glass module manufacturing costs are modeled for a large-scale, ingot-to-module integrated supplier. Costs are based on an n-type TOPCon module architecture. Inflation Reduction Act (IRA), Southeast Asia (SEA), Ex-works U.S. factory (EXW), and Delivery Duty Paid to a West Coast U.S. port (DDP).



Content

The U.S. PV sector is in good health The U.S. PV market is facing headwinds An AD/CVD finding could hurt U.S. PV

The U.S. PV market is facing headwinds Key points


- U.S. PV installation volume growth has taken place notwithstanding high domestic prices for PV modules, and the U.S. solar industry faces a growing number of trade policies that could negatively impact deployment and raise PV costs.
 - Anti-circumvention duties extend China's antidumping and countervailing duties to many SEA imports, restricting dutyfree cell and module volumes for U.S. PV developers and creating competition for non-China cell and module materials.
 - Section 301 tariffs set at 25% to 50% for many PV components raise costs for U.S. manufacturers and increase tariff rates on many module materials.
 - Section 201 tariffs are reinstated on bifacial module imports, raising costs for importers by over 14%.
 - While the U.S. is actively building the necessary module manufacturing capabilities to support its installation needs, more time is needed to build sufficient cell capacity, and duties on cells could harm growing U.S. module makers.
 - U.S. module capacity is ramping up quickly; cell capacity has a longer build-out timeline (over two years) and needs more time to come online due to stringent permitting requirements.
 - The U.S. will need to import up to 41 GW worth of cells and/or modules to meet projected U.S. installations until the Section 201's phase-out in February 2026; cell imports during this time will add a cost burden to buyers.
 - U.S. module makers will need to import some cells to meet production needs for the foreseeable future.
 - Duties could create a situation where cell buyers and suppliers are unwilling to risk duty, and cell transactions stop.
 - Lower cell buying/selling could reduce module industry utilization and lead to lost factory expansion opportunities.

Notes | Anti-circumvention duties result from a separate trade case from the current anti-dumping and countervailing investigation. The anti-circumvention order extends antidumping and countervailing duties applicable to China to Cambodia, Malaysia, Thailand, and Vietnam due to an anticircumvention investigation that concluded in September 2023. Southeast Asia (SEA).

U.S. module pricing differs from the rest of world due to trade policy

The pricing disparity originates from the 2012 AD/CVD case restricting Chinese imports

U.S. vs. global PV module prices (U.S. \$/W)



Notes | Pricing from 2010-2020 is a mix of multi and mono products before shifting entirely to PERC modules from 2021 to 2023. U.S. pricing data before 2023 was reported by the U.S. Energy Information Agency, and 2023 pricing was compiled by CEA. RoW price data before 2021 was reported by spot price groups like the EIA, PVxchange, Energy Trend, and others, with 2023 pricing compiled by CEA.

U.S. module buyers face duties on imports due to anti-circ. rules

U.S. factories also compete for limited non-China materials due to these impacts


An existing anti-circumvention order applies Chinese duties to Southeast Asian cells and modules

U.S. module makers face tariffs or growing competition for non-China materials due to the anti-circumvention order



Notes | No more than two specific materials (silver paste, glass, backsheets, frames, EVA, and junction boxes) can be sourced from China to comply with one pathway to avoid the anti-circumvention case's application of Chinese duties. Anti-circumvention (anti-circ.), 2024 Antidumping and Countervailing Duties (AD/CVD).

U.S. installations will exceed domestic c-Si cell & thin film production Cell imports required by U.S. factories will be partially subject to the Section 201




Notes | Installation volumes are reported in the SEIA/Wood Mackenzie Power & Renewables' "Solar Market Insight Report 2023 Year in Review." Future installations are projected based on historical installation trends by quarter. Quarterly capacity figures are forecast by CEA based on supplier statements and taking into account reasonable new factory ramp rates. Tariff rate quota (TRQ).

U.S. manufacturing capacity expansion anticipated to slow in 2026

Likely cell capacity behind module, indicating structural requirements for cell imports

United States PV installations vs. domestic capacity (GWdc)



Reasons for less, and later, cell capacity



Cell capacity can take twice the construction, training, and ramp time of module capacity.

Complaint	Î
	۲

Uncertain domestic content rules make the value of U.S. cells highly variable until the final statutes are published.



Permitting process chemicals in cell production can make zoning and site selection difficult.



Cell capital expenditure costs can be 2-3x a module factory, making it difficult for new suppliers to raise funding.




Ongoing IP concerns create cell technology uncertainty vs. module capacity, which is technology-agnostic.

Notes | Installation volumes are reported in the SEIA/Wood Mackenzie Power & Renewables' "Solar Market Insight Report 2023 Year in Review." Capacity figures are not adjusted for utilization. Intellectual Property (IP) concerns stem from new suppliers needing to purchase IP to compete, but new firms are unsure if technology providers' IP can hold up in Western legal systems.

Overwhelming majority of U.S. PV imports are subject to Section 201

Imports from key U.S. trade partners like SEA, India, and South Korea are impacted

2023 U.S. PV cell and module imports (%)





The U.S. sources most modules from countries fully subject to the Section 201; the Administration announced action on June 21, 2024, to remove the exclusion for bifacial modules which imposes a 14.25% tariff in 2024.



Section 201 exempt cells are only available from Indonesia, which has only 2 GW of cell capacity; however, the Administration pledged to raise the cell TRQ by 7.5 GW if the U.S. reaches the 5 GW threshold.

Notes | Data were reported as of December 31, 2023, by the United States International Trade Commission (USITC) via module HTS: 854143 and via cell HTS: 854142. Key Section 201 exempt nations include Canada, Indonesia, Jordan, and South Africa. Other countries are exempt from the Section 201, but have little to no PV manufacturing capabilities. Southeast Asia (SEA). Crystalline silicon (c-Si).




Content

The U.S. PV sector is in good health The U.S. PV market is facing headwinds An AD/CVD finding could hurt U.S. PV

An AD/CVD finding could hurt the U.S. PV sector Key points

- The impact of U.S. trade law applications, including past AD/CVD investigations, has restricted the available supply of modules to the U.S. market, resulting in above-market prices for U.S. system developers/installers.
- The most recent example, the 2022 anti-circumvention investigation based on a complaint brought by Auxin, was an important
 contributing factor to restricting module supply in 2022 and 2023, increasing module prices by nearly 60% vs. a year earlier until
 the President intervened, and led to an annual decline in total installed solar volume.
- The newly announced 2024 AD/CVD investigation in April 2024 re-introduces significant uncertainty in the U.S. market; if the case proceeds, it could lead to significantly restricted supply and higher module costs of an estimated 10 ¢/W for domestically produced modules and 15 ¢/W for imports.
- Higher prices and restricted supply could likely negatively impact U.S. installations, as occurred in 2022, and lead to a
 detrimental impact on U.S. jobs, which are primarily based on installation and project development.
- Duties could also hurt U.S. PV manufacturing jobs, as most U.S. factories need imported cells.




Notes | Installation volumes are reported in the SEIA/Wood Mackenzie Power & Renewables' "Solar Market Insight Report 2023 Year in Review." Product detentions are the result of lengthy U.S. Customs and Border Protection compliance review of PV imports.

New AD/CVD would add to existing headwinds for solar installations

Natural market forces & tailwinds would otherwise maintain an upward installation trend

U.S. PV installations projection range prior to 2024 AD/CVD petition (GWdc)



The U.S. market faced various domestic barriers and trade policy headwinds before the newest 2024 AD/CVD case.



and ongoing supply chain disruptions.

- Existing issues create a growing delta in PV installations per year between bull and bear cases, amounting to a 55 GW+ cumulative difference in installation outcomes from 2023 to 2028.
- Additional duties could push base case installations toward the bear case rate and further depress the bear case outlook.


Notes | The SEIA/Wood Mackenzie Power & Renewables' "Solar Market Insight Report 2023 Year in Review" publishes the referenced U.S. PV installation outlook scenarios and defines each case.

Copyright © 2024 Clean Energy Associates

The 2024 AD/CVD filing alone caused a U.S. module price increase

The prior anti-circumvention case added duties and caused a price spike in 2022

U.S. utility module prices for landed West Coast products (U.S. ¢/W)



Notes | Price tracking compiled by CEA based on declared import values, supplier quoted modules, and observations from buyer and supplier price negotiations during 2022.

U.S. market could face sizeable module cost increases due to duties

Southeast Asia all-in module cost, 2024

Domestic module costs could increase by ~10 ¢/W; imported modules by ~15 ¢/W


U.S. module assembly all-in cost, 2024

(EXW U.S. ¢/W) (DDP-port U.S. ¢/W) 29 U.S. module 16 24 22 22 cost structure 14 -7 today 5 3 3 39 U.S. module 38 27 32 cost structure -7 17 if the 2024 13 2 8 AD/CVD is 5 3 3 extended Polysilicon Wafer Cell Module 45X credit Net cost Polysilicon Wafer Module Sea freight Net cost Module Cell Module (SEA) (SEA) (SEA) (U.S.) (SEA) (SEA) (SEA) (SEA) cost cost Cost Antidumping duty Countervailing duty Section 201 Section 301 Freight Subsidies Net cost

Notes | Bifacial double-glass TOPCon module manufacturing costs. Section 301 value at 25% on applicable materials, Section 201 value at 14.25%, Countervailing Duty values based on 2020 China rates at 15%, and Antidumping Duty values based on 2024 AD/CVD petition filings at 70% for Thailand, but could be higher given sought rates of 81% (Malaysia), 126.1% (Cambodia), and 272% (Vietnam).

Duty uncertainty impacts PV project development

The 2024 AD/CVD adds financial risks most suppliers & buyers are unwilling to bear



Key takeaways

- Antidumping and countervailing duties are especially harmful to the solar industry given that they are:
 - 1. Unknown, when buyers sign contracts or importers receive products.
 - 2. Retroactive, with duties assigned around two years after an investigation.
 - 3. Revised annually, with rates continually assessed and changed.
 - 4. Variable, with different suppliers and different countries possibly receiving unique rates.
- Duties could raise manufacturing costs by 10 ¢/W to 15 ¢/W, leading to net module purchase price increases for buyers:
 - 1. Projects with marginal economics may no longer meet investment criteria and become canceled.
 - 2. PV project cancelation reduces deployment, slows U.S. climate goal progress, and negatively impacts deployment jobs.
 - 3. Some American consumers may be further impacted as PV module price increases translate to higher energy costs.
- 10 ¢/W duties on key cell-producing countries may raise final module prices from U.S. factories:
 - Duties also could leave nearly 34 GW of U.S. PV module capacity without competitively priced cell inputs, jeopardizing almost 9,000 U.S. module factory jobs.

Notes | Announced U.S. module factories average around 260 jobs/GW.






CEA Market Intelligence team authors

Dan Shreve, Vice President (dshreve@cea3.com) Martin Meyers, Principal Consultant (mmeyers@cea3.com) Joseph Johnson, Associate Director (jjohnson@cea3.com) Christian Roselund, Senior Policy Analyst (croselund@cea3.com)

Abbreviations and key terms

IBX Section 42X manufacturing credits Part of the U.S. Inflaion Reduction AXt the provides manufacturing credits to polysition, weire, cell, and module production segments. 631 Section 301 tariffs Section 301 tariffs Section 301 tariffs by a 1475 to 15% tariff to U.S. (reliation and Societa and Tariffs by a 1475 to 15% tariff to U.S. (reliation and Societa and Tariffs by a 1475 to 15% tariff to 15% tariffs to 15%	ACRONYM	Details	Definition
Section 301 tariffs	45X	Section 45X manufacturing credits	Part of the U.S. Inflation Reduction Act that provides manufacturing credits to polysilicon, wafer, cell, and module production segments.
DD/CV Antidumping and Countervaling duffer Duffer the U.S. imposés on China and Southeast Asia (cells and modules) and potermitally on other materials (aluminum). BAIdecoursement Extension of China Antidumping and Countervaling Southeast Asia (cells and modules) and products produced in Cambodia, Tabiland, Malaysia, and Vetanna. BAIdecoursement Bask Surface Field One the oldest mainstream cell technologies (aluminum SF): is being phased ou. Commercial and Industrial Commercial and Industrial Anti-Iso (alumping and Countervaling Asia) Coll Commercial and Industrial Anti-Iso (alumping and Countervaling Asia) Coll Commercial and Industrial Anti-Iso (alumping and Countervaling Asia) Coll Coll and Industrial Anti-Iso (alumping and Countervaling Asia) Coll Coll and Industrial Anti-Iso (alumping adod asia) Coll and Industrial Anti-Iso (alumping adod asia) Anti-Iso (alumping adod asia) Coll and Industrial Anti-Iso (alumping add asia) Anti-Iso (alumping add asia) Coll and Industrial Anti-Iso (alumping add asia) Anti-Iso (alumping add asia) Coll and Industrial Anti-Iso (alumping add asia) Anti-Iso (alumping add asia) Coll and Industrial Antiso (alumping add asia)	201	Section 201 tariffs	Section 201 tariffs apply a 14% to 15% tariff to U.S. cell and module imports from nearly every country (except a few developing nations).
Anterstern Extension of China Antidumping and Countervating datas Applies Chinese AD/CVD tates to select suppliers and products produced in Cambodia, Thailand, Malaysia, and Vietnam. Bold Bill of Materials The Ist of materials in the PV module. BSF Back Surface Field One of the oldest maintream of the theohogies (aluminum BSF); is being phased out. Commercial and Industrial Distributed generation market segment targely for business use cases. Carla Crystaline silon An on-silon based PV technology for business use cases. Crystaline silon Main PV technolog publicity, field, and costs of transporting goods until the buyer receives or transfers them at the destination port. This agreement includes paying for shipping cass, apoet and import builty, inits, and other expenses incurred during shipping to an agreed-upon location in the buyer's county. EVW Ex Works The buyer cocysts the title of the goods at the inpert point an assume sitic on tedentation costs, transportation costs	301	Section 301 tariffs	Section 301 tariffs levy a ~25% tariff on a host of PV components, materials, and equipment HTS codes from China.
Anterstern Extension of China Antidumping and Countervating datas Applies Chinese AD/CVD tates to select suppliers and products produced in Cambodia, Thailand, Malaysia, and Vietnam. Bold Bill of Materials The Ist of materials in the PV module. BSF Back Surface Field One of the oldest maintream of the theohogies (aluminum BSF); is being phased out. Commercial and Industrial Distributed generation market segment targely for business use cases. Carla Crystaline silon An on-silon based PV technology for business use cases. Crystaline silon Main PV technolog publicity, field, and costs of transporting goods until the buyer receives or transfers them at the destination port. This agreement includes paying for shipping cass, apoet and import builty, inits, and other expenses incurred during shipping to an agreed-upon location in the buyer's county. EVW Ex Works The buyer cocysts the title of the goods at the inpert point an assume sitic on tedentation costs, transportation costs	AD/CVD	Antidumping and Countervailing duties	Duties the U.S. imposes on China and Southeast Asia (cells and modules) and potentially on other materials (aluminum).
Bold Bill of Materials The list of materials in the PV module. BSF Back Surface Field One of the oldest mainstream cell technologies (aluminum BSF); is being phased out. Cell Commercial and Industrial Distributed generation market segment targely for business use cases. Cell Commercial and Industrial Distributed generation market segment targely for business use cases. Cell of Ses Crystalline silicon Main PV technology platform with a silicon backbone (includes mult BSF, PERC, TOPCon, HJT, and xBC technologies). Cell of Ses Crystalline silicon Main PV technology platform with a silicon backbone (includes mult BSF, PERC, TOPCon, HJT, and xBC technologies). Cell of Ses Control Cell Ses Main PV technology platform with ealler's commony target on the busines on the busin the busines on the busines	Anti-circumvention		
Call Commercial and Industrial Distributed generation market segment largely for business use case." Core Cadmium chilumic thilm Anonsilcon based PV technology, the chilumic segment largely for business use case." CSI or DG Glass module or Double Glass Main PV technology, platform with a silicon backhone (includes mult-SF, PERC, TOPCon, HJT, and xBC technologies). CGI or DG Glass module or Double Glass Main PV technology, platform genes and the segment largely for business use case." DPP Delivered Duty Paid The seler assumes all responsibility, risk, and costs of transporting goods until the buyer receives or transfers them at the destination port. This agreement includes paying for signed participation and size of the seler ships the product. EXW Ex Works The seler makes the goods avoid and plate of delivery. That place is commonly used for local module orders (i.e., U.S. factorise delivering U.S. actorise delivering U.S. ac	BoM		The list of materials in the PV module.
Cardie Cadmium Tellunde thin film A non-silicon based PV technology, and the selicon based PV technology platform with a silicon backbone (includes multi-BSF, PERC, TOPCon, HJT, and xBC technologies). Circle or DG Glass on Glass module or Double Glass Module with two sheets of glass protecting the cells, most often a blacial product. DDP Delivered Duty Paid The selicr assumes all responsibility, risk, and costs of transporting goods will the buyer roceives or transfers them at the destination port. This agreement includes paying for shipping costs, export and inport duties, insurance, and other expenses incurred during shipping to an agreed-upon location in the buyer's country. EXW Ex Works The selier assumations and the expenses incurred during shipping to an agreed-upon location in the buyer's country. FIT Feed-in tariff State subsity model where a fixed price opter, even is is commonly used for local module orders (i.e., U.S. factories delivering U.S. orders). FIT Feed-in tariff The buyer accepts the title of the goods at the shippinet point and assumes risk once the seller ships the product. The buyer is responsible if the goods are damaged or lost. HJT Heterojunction technology High-efficiency cell technology where amorphous silicon is deposited on n-type moncorystalline waters. N-type Negative dopant Ingots/waters doped elements that create paysitive charge carriers. P-type Potosvoltaic Chell archite	BSF	Back Surface Field	One of the oldest mainstream cell technologies (aluminum BSF); is being phased out.
Image: Cystalline silicon Main PV technology platform with a silicon backbone (includes multi-BSF, PERC, TOPCon, HT, and XBC technologies). GG or DG Glass module or Double Glass Module with with we sheets of glass properticing the cellscal product. DDP Delivered Duty Paid The seller assumes all reagonshilly, risk, and costs of transporting goods until the buyer receives or transfers them at the destination port. This agreement includes paying for shipping costs, export and inport duides, insurance, and other expresses incurred duing shipping to action in the buyer's country. EW Ex Works The seller makes the goods available at the place of delivery. That place is commonly used for local module orders (i.e., U.S. factories delivering U.S. orders). FIF Fee on Baard The buyer accepts the title of the goods at the shipment point and assumes risk once the seller ships the product. The buyer is then responsible if the goods are damaged or lost. FIF Heterojuncion technology High efficiency cell technology where a morphous silicon is deposited on n-type monocrystalline wafers. FIF Heterojuncion technology High efficiency cell technology where anorphous silicon is deposited on n-type monocrystalline wafers. High Higher Kinckey A U.S. policy supporting mary clean transfer shows the comparis. Higher Kentology Higher Kinckey of position Procey of the expression of dawage atrines. Higher Kenton Contac	C&I	Commercial and Industrial	Distributed generation market segment largely for business use cases.
GR3 or DG GR3 son Class module or Double Glass Module with two sheets of glass protecting the cells, most often a bifacial product. DDP Delivered Duty Paid The seller assumes all responsibility, risk, and costs of transporting goods with the buyer rise intersponsible for getting the goods EXW Ex Works The seller assumes all responsibility, risk, and costs of transporting goods with the buyer is the responsible for getting the goods FIT Feed-in tariff The seller assumes all responsibile of place is commonly used for local module orders (i.e., U.S. factories delivering U.S. orders). FIT Feed-in tariff The buyer accepts the tile of the goods at the shipment point and assumes risk once the seller ships the product. The buyer is the responsible of petiting the goods are damaged or lost. FIA Heterojunction technology High - efficiency cell technology where amorphous silicon is deposited on n-type monocrystalline wafers. HJT Heterojunction technology High - efficiency cell technology where amorphous silicon is deposited on n-type monocrystalline wafers. N-type Negative dopant Ingots/wafers doped elements that create positive charge carriers. P-type Positive dopant Ingots/wafers doped elements that create positive charge carriers. P-type Plasma Enhanced Chemical Yapor Deposition Process for passivation and anti-reflecinon treetment for cells. <td>CdTe</td> <td>Cadmium Telluride thin film</td> <td>A non-silicon based PV technology.</td>	CdTe	Cadmium Telluride thin film	A non-silicon based PV technology.
DDP Delivered Duty Paid The seler assume all responsibility, risk, and costs of transporting goods until the buyer receives or transfers them at the destination port. This agreement includes paying for stipping costs, export and import duties, insurance, and other expenses incurred during alsping for an agreed upon location in the buyer's county. EXW EX Works The seller makes the goods available at the place of delivey. That place is commonly the seller's own variebouss or factory. The buyer is then responsible for getting the goods are damaged or locat. EVT Feed-in tariff State subsidy model where a fixed price per KWh is paid to the IPP. FOB Free on Board Typically, quotes to Europe from China specify an FOB price quote, even if the eventual order is DDP. HT Heterophysicanic the china responsibility in six doped elements that create passitic in is deposited on n-type monocystalline wafers. High-efficiency cell technology where amorphous silicon is deposited on n-type monocystalline wafers. High-efficiency cell technology where amorphous silicon is deposited on n-type monocystalline wafers. PLype Negative dopant Ingotis wafers doped elements that create passite charge carriers. PLype Passina Erhanced Chemical Vapor Deposition Process for passivation and anti-fefection the attreate passite including. Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore. REA Southeast Asia Cole arc	c-Si	Crystalline silicon	Main PV technology platform with a silicon backbone (includes multi-BSF, PERC, TOPCon, HJT, and xBC technologies).
Delivered Duty Paid shipping costs, export and import duties, insurance, and other expenses incurred during shipping to an agreed-upon location in the buyer's country. EXW Ex Works The seler makes the goods available at the place of delivery. That place is commonly the seler's own warehouse or factory. The buyer is ther responsible for getting the goods are delivery. That place is commonly used for local module orders (i.e., U.S. factories delivering U.S. orders). FIT Feed-In tariff State subsidy model where a fuck or prote prk (Wh) is paid to the IPP. FOB Free on Board The buyer accepts the title of the goods at the shipment paint and assumes risk once the seller ships the product. The buyer is responsible if the goods are damaged or lost. HJT Heterojunction technology High-efficiency cell technology where amorphous silicon is deposited on n-type monocrystalline waters. HAT Inflation Reduction Act A U.S. policy supporting many clean energy sectors. Networe Petwore Positive dopant Ingots/waters doped elements that create agaitive charge carriers. PECVD Passivated Enther Rear Contact Cell architecture with increased efficiency due to improved backside (v. BSF). VP Photovalia/ Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singpore. SEIA </td <td>G/G or DG</td> <td>Glass on Glass module or Double Glass</td> <td></td>	G/G or DG	Glass on Glass module or Double Glass	
EXV EX Works to their destination, including loading, transportation costs, insurance, etc. This is commonly used for local module orders (i.e., U.S. factories delivering U.S. orders). ¹ FIT Feed in tariff State subsidy model where a fixed price per KWh is paid to the IPP. FIT Feed in tariff State subsidy model where a fixed price per KWh is paid to the IPP. FIT Heterojunction technology The buyer accepts the till of the goods at the shipment point and assumes risk once the seler ships the product. The buyer is responsible if the goods are damaged or lost. HJT Heterojunction technology High-efficiency cell technology where amorphous silicon is deposited on n-type monocrystalline wafers. HAVP Negative dopant Ingots/wafers doped elements that create negative charge carriers. P4xpe Positive dopant Ingots/wafers doped elements that create positive charge carriers. PECVD Plasmate Enhanced Chemical Vapor Deposition Process for passivation and anti-reflection cells. PEA Passivated Entitier Rear Contact Cell architecture with increased efficiency due to improved backside (v. BSF). VEX Phylope diponent Laos. and Singapore. Search & Southeast Asia Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thalland, Cambodia. Increasingly inclusive of Indonesia, the Philippr	DDP	Delivered Duty Paid	
FIT Feed-in tariff State subsidy model where a fixed price per kWh is paid to the IPP. FOB Free on Board The buyer accepts the tille of the goods at the ships ment point and assumes risk once the seller ships the product. The buyer is responsible if the goods are damaged or lost. Typically, quotes to Europe from China specify an FOB price quote, even if the eventual order is DDP. HJT Heterojunction technology High-efficiency cell technology where amorphous silicon is deposited on n-type monocrystalline wafers. HAV Inflation Reduction Act A US. policy supporting many clean energy sectors. N-type Positive dopant Ingots/wafers doped elements that create positive charge carriers. PEVD Plasma Enhanced Chemical Vapor Deposition Process for passivation and anti-reflection treate positive durage carriers. PERC Passivated Emitter Rear Contact Cell architecture with increased efficiency due to improved backside (v. BSF). PV Photovoltaic Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore. SEIA Solure Early Industry Association Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore. VERO Unu	EXW	Ex Works	
Prob Prob on Boda Typically, quotes to Europe from China specify an FOB price quote, even if the eventual order is DDP. HJT Heterojunction technology High-efficiency cell technology where amorphous silicon is deposited on n-type monocrystalline wafers. IRA Inflation Reduction Act A U.S. policy supporting many clean energy sectors. N-type Negative dopant Ingots/wafers doped elements that create positive charge carriers. PEVD0 Plasma Enhanced Chemical Vapor Deposition Process for passivation and anti-reflection treatment for cells. PECVD Plasma Enhanced Chemical Vapor Deposition Process for passivation and anti-reflection treatment for cells. PEV Photovoltaic Cell architecture with increased efficiency due to improved backside (v. BSF). PV Photovoltaic RaD Research & Development Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore. SEIA Southeast Asia Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore. SEIA Solar Energy Industry Association Region in Asia, primarily describes quote developed by Fraunhofer ISE is widely seen as th	FIT	Feed-in tariff	State subsidy model where a fixed price per kWh is paid to the IPP.
Hut Heterojunction technology High-efficiency cell technology where amorphous silicon is deposited on n-type monocrystalline wafers. IRA Inflation Reduction Act A U.S. policy supporting many clean energy sectors. N-type Negative dopant Ingots/wafers doped elements that create negative charge carriers. P+type Positive dopant Ingots/wafers doped elements that create negative charge carriers. PECVD Plasma Enhanced Chemical Vapor Deposition Process for passivation and anti-reflection treatment for cells. PECVD Plasma Enhanced Chemical Vapor Deposition Process for passivation and anti-reflection treatment for cells. PECVD Photovoltaic Cell architecture with increased efficiency due to improved backside (v. BSF). PV Photovoltaic Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore. SEIA Solar Energy Industry Association Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore. UFLPA Uygur Forced Labor Prevention Act U.S. policy. UHILITY unterling Oxide Passivating Contact U.S. policy.	FOB	Free on Board	
N-typeNegative dopantIngots/wafers doped elements that create negative charge carriers.P-typePositive dopantIngots/wafers doped elements that create negative charge carriers.P-typePositive dopantIngots/wafers doped elements that create negative charge carriers.PECVDPlasma Enhanced Chemical Vapor DepositionProcess for passivation and anti-reflection treatment for cells.PERCPassivated Emitter Rear ContactCell architecture with increased efficiency due to improved backside (v. BSF).PVPhotovoltaicR&DResearch & DevelopmentSEASoutheast AsiaRegion in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Las, and Singapore.SEIASolar Energy Industry AssociationRegional PV industry advocacy group.TOPConTunneling Oxide Passivating ContactThe high-efficiency cell architecture developed by Fraunhofer ISE is widely seen as the next step after PERC/PERT to achieve over 25% cell efficiency in low-cost, mass- producet.UHINYUtility market segmentLarge scale PV deployment segment focused on selling to utilities and large energy buyers.WROXack ContactVary high-efficiency solar cells with clean front suffaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc.SW or ¢/WUnit of measurementMegawatt	HJT	Heterojunction technology	High-efficiency cell technology where amorphous silicon is deposited on n-type monocrystalline wafers.
Psitty dopant Ingots/wafers doped elements that create positive charge carriers. PECVD Plasma Enhanced Chemical Vapor Deposition Process for passivation and anti-reflection treatment for cells. PERC Passivated Emitter Rear Contact Cell architecture with increased efficiency due to improved backside (v. BSF). PV Photovoltaic Cell architecture with increased efficiency due to improved backside (v. BSF). R&D Research & Development Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, and Singapore. SEIA Southeast Asia Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, and Singapore. SEIA Solar Energy Industry Association Region and architecture developed by Fraunhofer ISE is widely seen as the next step after PERC/PERT to achieve over 25% cell efficiency in low-cost, mass-produced modules. UFLPA Uyghur Forced Labor Prevention Act U.S. policy. Utility Utility market segment Large scale PV deployment segment focused on selling to utilities and large energy buyers. VBC x-Back Contact Very high-efficiency solar cells with clean from to surfaces where all the cell junction interconnection is done at the rear. Different suppli	IRA	Inflation Reduction Act	A U.S. policy supporting many clean energy sectors.
PECVDPlasma Enhanced Chemical Vapor DepositionProcess for passivation and anti-reflection treatment for cells.PERCPassivated Emitter Rear ContactCell architecture with increased efficiency due to improved backside (v. BSF).PVPhotovoliacR&DResearch & DevelopmentSEASoutheast AsiaRegion in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore.SEIASolar Energy Industry AssociationRegional PV industry advocacy group.TOPConTunneling Oxide Passivating ContactU.S. policy.UFLPAUyghur Forced Labor Prevention ActU.S. policy.UtilityUtility market segmentLage scale PV deployment segment focused on selling to utilities and large energy buyers.VROWithhold Release OrderVery high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc.SW or c/WUnit of measurementMegawatt	N-type	Negative dopant	Ingots/wafers doped elements that create negative charge carriers.
PERC Passivated Emitter Rear Contact Cell architecture with increased efficiency due to improved backside (v. BSF). PV Photovoltaic R&D Research & Development SEA Southeast Asia Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore. SEIA Solar Energy Industry Association Regional PV industry advocacy group. TOPCon Tunneling Oxide Passivating Contact U.S. policy. UFLPA Uyghur Forced Labor Prevention Act L.S. policy. Utility Utility market segment Large scale PV deployment segment focused on selling to utilities and large energy buyers. Security and the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc. SW or e/W Unit of measurement Megawatt Vegawatt	P-type	Positive dopant	Ingots/wafers doped elements that create positive charge carriers.
PV Photovoltaic R&D Research & Development SEA Southeast Asia Region in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore. SEIA Solar Energy Industry Association Regional PV industry advocacy group. TOPCon Tunneling Oxide Passivating Contact The high-efficiency cell architecture developed by Fraunhofer ISE is widely seen as the next step after PERC/PERT to achieve over 25% cell efficiency in low-cost, mass-produced modules. UELPA Uyghur Forced Labor Prevention Act U.S. policy. Ltility Utility market segment Large scale PV deployment segment focused on selling to utilities and large energy buyers. wRO Withhold Release Order U.S. policy: restricting imports of some producet from companies on the U.S. government's Entity List. search x-Back Contact Very high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc. SWW or e/W Unit of measurement U.S. dollar or cents per watt MW Unit of measurement Megawatt	PECVD	Plasma Enhanced Chemical Vapor Deposition	Process for passivation and anti-reflection treatment for cells.
R&DResearch & DevelopmentSEASoutheast AsiaRegion in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore.SEIASolar Energy Industry AssociationRegional PV industry advocacy group.TOPConTunneling Oxide Passivating ContactThe high-efficiency cell architecture developed by Fraunhofer ISE is widely seen as the next step after PERC/PERT to achieve over 25% cell efficiency in low-cost, mass- produced modules.UFLPAUyghur Forced Labor Prevention ActU.S. policy.UtilityUtility market segmentLarge scale PV deployment segment focused on selling to utilities and large energy buyers.WROWithhold Release OrderU.S. policy restricting imports of some products from companies on the U.S. government's Entity List.xBCx-Back ContactVery high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc.SW or e/WUnit of measurementU.S. dollar or cents per watt Megawatt	PERC	Passivated Emitter Rear Contact	Cell architecture with increased efficiency due to improved backside (v. BSF).
SEASoutheast AsiaRegion in Asia, primarily describes major PV manufacturing countries including: Vietnam, Malaysia, Thailand, Cambodia. Increasingly inclusive of Indonesia, the Philippines, Laos, and Singapore.SEIASolar Energy Industry AssociationRegional PV industry advocacy group.TOPConTunneling Oxide Passivating ContactThe high-efficiency cell architecture developed by Fraunhofer ISE is widely seen as the next step after PERC/PERT to achieve over 25% cell efficiency in low-cost, mass- produced modules.UFLPAUyghur Forced Labor Prevention ActU.S. policy.UtilityUtility market segmentLarge scale PV deployment segment focused on selling to utilities and large energy buyers.WROWithhold Release OrderU.S. policy restricting imports of some products from companies on the U.S. government's Entity List.xBCx-Back ContactVery high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc.SW or e/WUnit of measurementU.S. dollar or cents per wattMWUnit of measurementMegawatt	PV	Photovoltaic	
SEA Southeast Asia Laos, and Singapore. The high-efficiency coup. SEIA Solar Energy Industry Association Regional PV industry advocacy group. TOPCon Tunneling Oxide Passivating Contact The high-efficiency cell architecture developed by Fraunhofer ISE is widely seen as the next step after PERC/PERT to achieve over 25% cell efficiency in low-cost, mass-produced modules. UFLPA Uyghur Forced Labor Prevention Act U.S. policy. Utility Utility market segment Large scale PV deployment segment focused on selling to utilities and large energy buyers. WRO Withhold Release Order U.S. policy restricting imports of some products from companies on the U.S. government's Entity List. xBC x-Back Contact Very high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc. §/W or ¢/W Unit of measurement U.S. dollar or cents per watt MW Unit of measurement Megawatt	R&D	Research & Development	
TOPConTunneling Oxide Passivating ContactThe high-efficiency cell architecture developed by Fraunhofer ISE is widely seen as the next step after PERC/PERT to achieve over 25% cell efficiency in low-cost, mass- produced modules.UFLPAUyghur Forced Labor Prevention ActU.S. policy.UtilityUtility market segmentLarge scale PV deployment segment focused on selling to utilities and large energy buyers.WROWithhold Release OrderU.S. policy restricting imports of some products from companies on the U.S. government's Entity List.xBCx-Back ContactVery high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc.§/W or ¢/WUnit of measurementU.S. dollar or cents per wattMWUnit of measurementMegawatt	SEA	Southeast Asia	
TOPConTunneling Oxide Passivating Contactproduced modules.UFLPAUyghur Forced Labor Prevention ActU.S. policy.UtilityUtility market segmentLarge scale PV deployment segment focused on selling to utilities and large energy buyers.WROWithhold Release OrderU.S. policy restricting imports of some products from companies on the U.S. government's Entity List.xBCx-Back ContactVery high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc.\$/W or ¢/WUnit of measurementU.S. dollar or cents per wattMWUnit of measurementMegawatt	SEIA	Solar Energy Industry Association	Regional PV industry advocacy group.
Utility Utility market segment Large scale PV deployment segment focused on selling to utilities and large energy buyers. WRO Withhold Release Order U.S. policy restricting imports of some products from companies on the U.S. government's Entity List. xBC x-Back Contact Very high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc. \$/W or ¢/W Unit of measurement U.S. dollar or cents per watt MW Megawatt	TOPCon	Tunneling Oxide Passivating Contact	
WRO Withhold Release Order U.S. policy restricting imports of some products from companies on the U.S. government's Entity List. xBC x-Back Contact Very high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc. \$/W or ¢/W Unit of measurement U.S. dollar or cents per watt MW Megawatt	UFLPA	Uyghur Forced Labor Prevention Act	U.S. policy.
WRO Withhold Release Order U.S. policy restricting imports of some products from companies on the U.S. government's Entity List. xBC x-Back Contact Very high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc. \$/W or ¢/W Unit of measurement U.S. dollar or cents per watt MW Megawatt	Utility		Large scale PV deployment segment focused on selling to utilities and large energy buyers.
xBC x-Back Contact Very high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of back contact such as IBC (Maxeon), ABC (Aiko), HPBC (LONGi), etc. \$/W or ¢/W Unit of measurement U.S. dollar or cents per watt MW Megawatt	WRO	Withhold Release Order	
MW Unit of measurement Megawatt	xBC	x-Back Contact	Very high-efficiency solar cells with clean front surfaces where all the cell junction interconnection is done at the rear. Different suppliers hold acronyms for their own version of
MW Unit of measurement Megawatt	\$/W or ¢/W	Unit of measurement	U.S. dollar or cents per watt
GW Unit of measurement Gigawatt	MW	Unit of measurement	
	GW	Unit of measurement	Gigawatt

U.S. cell imports could total more than 2x tariff rate quota in 2024 The Administration pledged to raise the TRQ once importers reach 80% of 5 GW



Notes | Data reported as of July 8, 2024 via the United States International Trade Commission's DataWeb portal. Tariff rate quota (TRQ) sets the annual rate of solar cell imports that are exempt from the Section 201 each year. Estimated cell imports needs based on a 60% capacity utilization factor for U.S. module factories needing foreign cells. Cell imports from 201 exempt nations trivial and not counted.